25L Lube Oil Filling Machine Production Line PGS Model 380V With Granulation

Basic Information

Place of Origin: CHINA
Brand Name: SG
Certification: ISO9001
Model Number: SG30FY-A

• Minimum Order 1

Quantity:

Price: 15000USDPackaging Details: woodenboxDelivery Time: 3months

• Payment Terms: T/T, L/C, D/A, D/P

• Supply Ability: 1set/week



Product Specification

• Features: High Efficiency, Easy Operation, Low Noise

• Particle Size Of Finished0.5-3mm

Product:

• Dimension: 1200*800*1500mm

Application: Pharmaceutical, Chemical, Food, And Other

Industries

Model: PGS
Voltage: 380V
Granulation Rate: ≥95%
Warranty: 1 Year

• Highlight: 380V Lube Oil Filling Machine,

Granulation Lube Oil Filling Machine, 25L Lube Oil Filling Production Line



More Images







Product Description

25L Lube Oil Filling Production Line PGS Model 380V Lube Oil Filling Machine With Granulation



Product Description:

The Lube Oil Filling Machine weighs between 500 and 1000kg, making it a sturdy and reliable piece of equipment that can handle even the toughest jobs. The machine is designed to work with raw materials that have a moisture content of up to 15%, ensuring that you get

consistent results every time. The Lube Oil Filling Machine requires a power input of between 5 and 30 KW, making it an energy-efficient choice for your business.

The Lube Oil Filling Machine is part of the Powder Granulator series, which also includes a Particle Forming Granulator. This series of machines is designed to help you create high-quality granules from a variety of raw materials. The Particle Forming Granulator is perfect for creating uniform, high-density particles that are ideal for use in a wide range of applications.

The Lube Oil Filling Machine is easy to operate and maintain, making it a great choice for businesses of all sizes. Whether you are a small startup or a large corporation, this machine is perfect for filling lube oil quickly and accurately. With its high-quality construction and reliable performance, the Lube Oil Filling Machine is sure to meet all of your filling needs.

Features:

Product Name: Lube Oil Filling Machine

Dimension: 1200*800*1500mm Granulation Rate: ≥95%

Moisture Content Of Raw Material: ≤15%

Frequency: 50Hz

Application: Pharmaceutical, Chemical, Food, And Other Industries

Keywords: Powder spheroidization granulator, Powder encapsulation machine, Powder compaction granulator

Technical Parameters:

Powder granulator series	
Powder compaction granulator	
Powder spheroidization granulator	
Model	PGS
Capacity	1-10 Tons/hour
Power	5-30 KW
Voltage	380V
Frequency	50Hz
Weight	500-1000kg
Particle Size Of Finished Product	0.5-3mm
Granulation Rate	≥95%
Features	High Efficiency, Easy Operation, Low Noise
Warranty	1 Year

Applications:

The machine has dimensions of 1200*800*1500mm, which makes it compact and easy to move around the production facility. The particle size of the finished product is 0.5-3mm, which makes it ideal for use in a variety of applications.

The 25L lube oil filling production line is perfect for use in a variety of occasions and scenarios. For example, it can be used in large-scale production facilities that require high volumes of lube oil to be filled. It is also ideal for use in smaller production facilities that require a reliable and efficient lube oil filling machine.

The machine is also ideal for use in a variety of industries. For example, it can be used in the automotive industry, where lube oil is used to lubricate engines and other moving parts. It can also be used in the manufacturing industry, where lube oil is used to lubricate machinery and other equipment.

The 25L lube oil filling production line is a versatile machine that can be used in a variety of applications. It is a powder compaction granulator that uses granulation machinery for powders to create a high-quality finished product. The machine is easy to use and maintain, which makes it ideal for use in a variety of production environments.

Customization:

 $\hbox{Customize your 25L Lube Oil Filling Production Line with our product customization services}.$

 $Our \ machine \ is \ made \ of \ high-quality \ stainless \ steel \ material, \ ensuring \ durability \ and \ longevity \ of \ the \ equipment.$

The particle size of the finished product can be customized to meet your specific needs, ranging from 0.5-3mm.

Our powder agglomeration equipment features a granulation rate of ≥95%, providing a highly efficient production process.

The moisture content of the raw material can be adjusted to ≤15%, ensuring the highest quality of your final product.

With our powder compaction granulator, you can expect easy operation, high efficiency, and low noise levels.

Support and Services:

The Lube Oil Filling Machine is a high-quality product designed to meet all your lubricant filling needs. Our technical support team is always ready to assist you with any questions or concerns you may have regarding the machine's operation or maintenance. Our services include:

Installation assistance and training for your staff

Regular maintenance and calibration to ensure optimal performance

Repairs and replacement of parts as needed

24/7 technical support hotline for emergencies

Customization options to fit your specific requirements

You can trust our team to provide top-notch support and services to keep your Lube Oil Filling Machine running smoothly and efficiently.

Packing and Shipping:

Product Packaging:

Each machine is packed securely in a wooden crate to prevent damage during transportation.

All necessary components and accessories are included in the package.

The package dimensions are 120cm x 80cm x 140cm.

Shipping:

The machine will be shipped by sea or air, depending on the customer's preference and location.

Shipping costs will be calculated based on the destination and shipping method.

Once the order is confirmed, the machine will be shipped within 7-10 working days.



18112895665

rfmikeliu@gmail.com



e sg-packs.com

Changzhou, Jiangsu Province, China