

## 60Hz PGS Automatic Powder Encapsulation Machine Engine Oil Lubricant Filling Line

Our Product Introduction

for more products please visit us on [sg-packs.com](http://sg-packs.com)

### Basic Information

- Place of Origin: CHINA
- Brand Name: SG
- Certification: ISO9001
- Model Number: SG30FY-A
- Minimum Order Quantity: 1
- Price: 15000USD
- Packaging Details: wooden box
- Delivery Time: 3months
- Payment Terms: T/T, L/C, D/A, D/P
- Supply Ability: 1set/week



### Product Specification

- Features: High Efficiency, Easy Operation, Low Noise
- Frequency: 50Hz
- Particle Size Of Finished Product: 0.5-3mm
- Granulation Rate:  $\geq 95\%$
- Model: PGS
- Dimension: 1200\*800\*1500mm
- Capacity: 1-10 Tons/hour
- Power: 5-30 KW
- Highlight: 60Hz Powder encapsulation machine, Automatic Powder encapsulation machine, Engine Oil Powder encapsulation machine



### More Images



## Product Description

### 60Hz PGS Automatic Powder encapsulation machine Engine Oil Lubricant Filling Line



#### Product Description:

The Lube Oil Filling Machine runs on a voltage of 380V, making it a reliable and efficient choice for your business. It boasts a Model PGS, which stands for Powder Spheroidization Granulator. This technology ensures that the lubricating oil is compressed into a spherical shape, making it easier to handle and transport. This is achieved through the use of a powder compaction granulator, which ensures that the lubricating oil is compacted into a solid form before being spheroidized.

The dimension of the Lube Oil Filling Machine is 1200\*800\*1500mm, making it compact enough to fit into a range of different workspaces. This also ensures that it is easy to move around and can be relocated if necessary. The machine has a capacity of 1-10 tons/hour, ensuring that it can handle large volumes of lubricating oil with ease.

The Lube Oil Filling Machine is the perfect choice for businesses looking to improve their lubricating oil filling process. Its powder spheroidization granulator technology ensures that the lubricating oil is compacted and spheroidized, making it easier to handle and transport. Its compact size and high capacity make it a versatile choice for a range of different industries.

#### Features:

Product Name: Lube Oil Filling Machine  
 Voltage: 380V  
 Moisture Content Of Raw Material: ≤15%  
 Material: Stainless Steel  
 Model: PGS  
 Dimension: 1200\*800\*1500mm

#### Technical Parameters:

Voltage	380V
Moisture Content Of Raw Material	≤15%
Weight	500-1000kg
Warranty	1 Year
Material	Stainless Steel

Particle Size Of Finished Product	0.5-3mm
Granulation Rate	≥95%
Dimension	1200*800*1500mm
Frequency	50Hz
Model	PGS

Granulation equipment for powders, Powder processing granulator, Powder compaction granulator

## Applications:

The 25L lube oil filling production line is specially designed for the filling of lube oil products. It is perfect for use in industries such as automotive, marine, aerospace, and manufacturing. The product is equipped with advanced particle forming granulator technology which ensures that the lube oil is accurately filled in the containers. The granulation machinery for powders used in this product is of high-quality and ensures that the granulation rate is ≥95%. This makes the product an excellent choice for industries that require high precision in their manufacturing processes.

The 25L lube oil filling production line is perfect for use in scenarios where there is a need to fill lube oil products quickly and efficiently. It is ideal for companies that require high production rates, as it can fill up to 25L of lube oil in a short amount of time. The product is also perfect for use in scenarios where there is a need for a high level of accuracy and precision. This makes it an excellent choice for industries such as pharmaceuticals, where precision is critical.

Another great feature of the 25L lube oil filling production line is its ability to spheroidize powders. The powder spheroidization granulator used in the product ensures that the lube oil is evenly distributed in the containers and that there is no wastage. This makes the product an excellent choice for companies that are looking to reduce their production costs and increase their efficiency.

In conclusion, the 25L lube oil filling production line is a high-quality product that is perfect for use in various industries. Its advanced particle forming granulator technology, high-quality granulation machinery for powders, and powder spheroidization granulator make it an excellent choice for companies that require high precision and accuracy in their manufacturing processes.

## Customization:

Customize your 25L lube oil filling production line with our product customization services. Our PGS model can be tailored to fit your specific needs with a range of customization options:

Power: 5-30 KW

Frequency: 50Hz

Particle Size Of Finished Product: 0.5-3mm

Capacity: 1-10 Tons/hour

Choose from our powder granulator series, powder encapsulation machine, or granulation equipment for powders to enhance your production line. Our team of experts will work with you to create the perfect solution for your business needs.

## Support and Services:

The Lube Oil Filling Machine is a precision piece of equipment designed to accurately fill containers with various types of lubricating oils. It is equipped with advanced controls that allow for precise measurements of oil volume, ensuring consistent and accurate filling every time.

In addition to its advanced filling capabilities, the Lube Oil Filling Machine is also designed for ease of use and maintenance. Its modular design allows for easy access to components, making maintenance and repairs quick and hassle-free.

If you encounter any issues with your Lube Oil Filling Machine, our product technical support team is available to provide assistance. Our team of experienced technicians can diagnose and troubleshoot any problems you may encounter and provide solutions to get your machine back up and running as quickly as possible.

We also offer a range of services to ensure that your Lube Oil Filling Machine is operating at peak performance. Our preventative maintenance services can help you avoid costly downtime by identifying and addressing potential issues before they become major problems. We can also provide training and support to help you get the most out of your machine and ensure that your operators are using it safely and effectively.

## Packing and Shipping:

### Product Packaging:

The Lube Oil Filling Machine will be packed in a sturdy wooden crate for maximum protection during transportation.

All necessary parts and accessories will be securely and neatly packed inside the crate.

### Shipping:

Shipping will be arranged by our team and will be delivered to your specified address.

We use reliable and trusted shipping companies to ensure that your package arrives safely and on time.

Once your package has been shipped, we will provide you with a tracking number so you can monitor its progress.

 **SG (Changzhou) Intelligent Technology Co., Ltd.**

 18112895665

 [rfmikeliu@gmail.com](mailto:rfmikeliu@gmail.com)

 [sg-packs.com](http://sg-packs.com)

Changzhou, Jiangsu Province, China